

---

---

## INTRODUCTION TO TECHNOLOGY CONCEPTS

### Overview

This event provides recognition for FBLA members who understand the basic principles involved in computer technology.

This is an individual objective test and is only for grades 9 and 10.

### Competencies and Task Lists

<http://www.fbla-pbl.org/docs/ct/FBLA/INTRODUCTIONTOTECHNOLOGYCONCEPTS.pdf>

---

## INTRODUCTION TO TECHNOLOGY CONCEPTS SAMPLE QUESTIONS

1. The \_\_\_\_\_ unit is the case that holds the main circuit boards, microprocessor, power supply, and storage devices.
  - a. house
  - b. main
  - c. system
  - d. abode
2. The technology in which a message is divided into several parcels that can be routed independently to their destination is called:
  - a. handshaking
  - b. circuit switching
  - c. protocol
  - d. packet switching
3. A file \_\_\_\_\_ is defined as the arrangement of data in a file and the coding scheme that is used to represent the data.
  - a. schema
  - b. type
  - c. native
  - d. format
4. You can use a \_\_\_\_\_ utility to rearrange the files on a disk so that they are stored in contiguous clusters.
  - a. compress
  - b. decompress
  - c. compact
  - d. defragmentation
5. Data \_\_\_\_\_ makes it possible to convert letters, sounds, and images into electrical signals.
  - a. representation
  - b. remastering
  - c. processing
  - d. management
6. A(n) \_\_\_\_\_ device works with continuous data.
  - a. binary
  - b. digital
  - c. streaming
  - d. analog

- 
7. A \_\_\_\_\_ contains the smallest unit of meaningful information in a database.
- field
  - record
  - structure
  - definition
8. The \_\_\_\_\_ database model remains in use today for storing data characterized by fairly simple relationships and routine, predictable requirements.
- object-oriented
  - hierarchical
  - network
  - relational
9. In a \_\_\_\_\_ database, the database is stored on different computers, on different networks, or in different locations.
- client-based
  - server
  - distributed
  - geographical
10. A field \_\_\_\_\_ rule is a specification that the database designer sets up to filter the data entered into a particular field.
- validation
  - filter
  - cardinality
  - structure
11. Software \_\_\_\_\_ refers to a program development process in which mathematical, engineering, and management techniques are applied to reduce the cost and complexity of a computer program while increasing its reliability and modifiability.
- analysis
  - coding
  - engineering
  - programming
12. The \_\_\_\_\_ performs arithmetic operations, such as addition and subtraction.
- ATA
  - register
  - ALU
  - control unit
13. In terms of data storage, each 1 or 0 is called a(n):
- byte
  - bit
  - analog
  - log
14. Executing a \_\_\_\_\_ command directs the computer to a different section of the program.
- GOSUB
  - MOVE
  - NEWSECT
  - THEN

- 
15. In a hierarchical database, a record type is referred to as a(n):
- node
  - parent
  - order
  - mode
16. The \_\_\_\_\_ database model allows many-to-many relationships, in addition to one-to-many relationships.
- parent-child
  - hierarchical
  - network
  - all of the above
17. \_\_\_\_\_ automatically appear on the screen when a certain action is performed.
- Toolbars
  - File names
  - Smart tags
  - Tracking changes
18. What do electronic kiosks often have?
- light pens
  - touch screens
  - trackballs
  - touchpads
19. PDAs ship with a basic \_\_\_\_\_, which is the primary input device.
- stylus
  - light pen
  - keyboard
  - touch screen
20. The speed of an ink-jet printer is measured by the number of \_\_\_\_\_ it can print.
- characters per minute (cpm)
  - pages per second (pps)
  - characters per second (cps)
  - pages per minute (ppm)
21. \_\_\_\_\_ is a type of high-speed memory that a processor can access more rapidly than RAM.
- Read only memory
  - SDRAM
  - Cache memory
  - BEDO-RAM
22. \_\_\_\_\_ has been adopted as a network standard for Internet communications.
- 802.11
  - token ring
  - Ethernet
  - TCP/IP
23. Generally, users change records in a file:
- to update old data with new data and when a record no longer is needed
  - when they obtain new data and to correct inaccurate data
  - to correct inaccurate data and to update old data with new data
  - whenever errors are present

- 
24. A \_\_\_\_\_ is a program that copies itself repeatedly in memory or on a network, using up resources and possibly shutting down the computer or network.
- utility software
  - computer virus
  - Trojan horse
  - worm
25. When customers make a purchase with a credit card, they are interacting with a(n):
- MIS
  - OIS
  - DSS
  - TPS
26. Publishing entities, such as news services, use \_\_\_\_\_ to keep Web sites up to date.
- VPN tunnels
  - HTML tags
  - CMS
  - RAID
27. Internet telephony:
- uses the public switched telephone network
  - is it not very common
  - uses a slow speed dial-up connection
  - also is called Voice over IP
28. The COM port (short for communications port) on the system unit is one type of:
- MPEG port
  - serial port
  - parallel port
  - printer port
29. To start up, a computer locates:
- application software in storage and loads it into memory
  - an operating system in memory and loads it onto storage
  - application software in memory and loads it onto storage
  - an operating system on the hard drive and loads it into RAM
30. The Accelerated Graphics Port (AGP) is:
- a bus that eliminates the need to install cards into expansion slots
  - a bus designed to improve the speed with which 3-D graphics and video transmit
  - the most common and slowest expansion bus
  - a bus designed to decrease the speed of graphic transmission